

Table 3-2. Silicosis: Mortality rates (per million population) by race and sex, U.S. residents age 15 and over, 1990-1999

Year	Overall	White		Black		Other	
		Male	Female	Male	Female	Male	Female
Crude Mortality Rate							
1990	1.58	3.14	0.11	4.38	0.08	0.29	—
1991	1.59	3.08	0.09	5.28	0.08	0.28	—
1992	1.28	2.46	0.14	3.49	0.16	0.80	0.25
1993	1.37	2.85	0.07	2.78	0.16	1.04	—
1994	1.16	2.34	0.14	2.37	0.08	0.50	—
1995	1.18	2.27	0.09	3.59	0.15	0.49	—
1996	1.02	2.10	0.07	2.29	—	0.46	—
1997	0.94	1.82	0.09	2.68	0.07	0.68	—
1998	0.84	1.80	0.03	1.44	0.07	0.44	—
1999	0.87	1.72	0.05	2.42	0.07	0.64	—
1990-1999	1.17	2.34	0.09	3.01	0.09	0.56	0.02
Age-Adjusted Mortality Rate							
1990	1.68	4.01	0.09	7.15	0.09	0.50	—
1991	1.70	3.92	0.08	9.60	0.12	0.39	—
1992	1.33	2.99	0.12	6.74	0.19	1.59	0.55
1993	1.42	3.45	0.06	4.98	0.19	3.42	—
1994	1.20	2.87	0.11	4.00	0.08	1.02	—
1995	1.21	2.73	0.07	6.60	0.21	0.72	—
1996	1.05	2.57	0.05	3.86	—	1.00	—
1997	0.96	2.14	0.08	4.57	0.10	1.10	—
1998	0.85	2.10	0.03	2.44	0.07	0.84	—
1999	0.88	1.97	0.04	3.93	0.07	1.25	—
1990-1999	1.21	2.81	0.07	5.27	0.11	1.23	0.05

— indicates no deaths listed.

NOTE: See appendices for source description, methods, and ICD codes.

SOURCE: National Center for Health Statistics multiple cause of death data. Population estimates from U.S. Bureau of the Census.